


85 mm x 120 mm x 18 mm NTN 6917ZZ deep groove ball bearings



Bearing No. 6917ZZ

6917ZZ Bearing 2D drawings and 3D CAD models

Size	85x120x18 mm
Bore Diameter	85 mm
Outer Diameter	120 mm
Width	18 mm
d	85 mm
D	120 mm
B	18 mm
C	18 mm
rn	0,5 mm
r min.	1,1 mm
da min.	91,5 mm
da max	94 mm
Da max.	113,5 mm
ra max.	1 mm
Weight	0,536 Kg
Basic dynamic load rating (C)	32 kN
Basic static load rating (C0)	29,6 kN
(Grease) Lubrication Speed	5 400 r/min
Category	Single Row Ball Bearings
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight / Kilogram	0.526
EAN	4547359007046
Product Group	B00308



Shandong Jiangshan Industrial Develop...

Enclosure	2 Metal Shields
Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Internal Clearance	C0-Medium
Inch - Metric	Metric
Long Description	85MM Bore; 120MM Outside Diameter; 18MM Outer Race Diameter; 2 Metal Shields; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features
Category	Single Row Ball Bearing
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer URL	http://www.ntnamerica.com
Manufacturer Item Number	6917ZZ/2AS
Weight / LBS	1.162
Outer Race Width	0.709 Inch 18 Millimeter
Outside Diameter	4.724 Inch 120 Millimeter
Bore	3.346 Inch 85 Millimeter
bore diameter:	85 mm
precision rating:	ISO Class 0
outside diameter:	120 mm
finish/coating:	Uncoated
overall width:	18 mm
bearing material:	High Carbon Chrome Steel



Shandong Jiangshan Industrial Develop...

bore type:	Round
cage material:	Steel
closure type:	Double Shielded
inner ring width:	18 mm
row type & fill slot:	Single Row Non-Fill Slot
outer ring width:	18 mm
snap ring included:	Without Snap Ring
maximum rpm (grease):	5400 rpm
internal clearance:	CN
fillet radius:	1.1 mm
operating temperature range:	-40 to 120 ° C
maximum rpm:	6300 RPM
dynamic load capacity:	32000 N
series:	69
static load capacity:	29600 N
manufacturer product page:	Click here